

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S11 1	34597	"709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/02 15:18
S11 2	1113	710/8.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 15:17
S11 3	34597	"709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/02 15:34
S11 4	1113	710/8.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/02 15:35
S11 5	9	printer near2 (server or manager) same (database or table\$1) same (time or latenc\$2 or elapse\$2) same servc\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 13:08
S11 6	453	printer near2 (server or manager) same (database or table\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/02 15:42
S11 7	217079	(time or elapse\$1 or latency) same print\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/02 15:43
S11 8	48	S113 and S116 and S117	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/02 15:43
S11 9	181	print\$2 near2 (server or manager) same (database or table\$1) same (time or latenc\$2 or elapse\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 14:51
S12 0	25	S113 and S117 and S119	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/02 15:51
S12 1	43310	"358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 09:36
S12 2	34700	"709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 09:36

S12 3	538	(print\$2 or device) near2 (manager or server) with (determin\$4 or check\$3) same time	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 14:49
S12 4	34700	"709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 11:55
S12 5	136	S123 and S124	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 11:55
S12 6	56	(print\$2 or device) near2 (manager or server) with (determin\$4 or check\$3) same time same service\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 13:33
S12 7	860	(print\$2 or device) near2 (manager or server) with (determin\$4 or check\$3 or select\$3) same time	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 14:49
S12 8	10	print\$2 near2 (server or manager) same ( (device or printer\$1) near2 (database or table\$1) ) same (time or latenc\$2 or elapse\$2) same (determin\$4 or select\$4 or check\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 15:16
S12 9	8260	( (device or printer\$1) with (database or table\$1) ) same (time or latenc\$2 or elapse\$2) same (determin\$4 or select\$4 or check\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 15:17
S13 0	34700	"709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 15:17
S13 1	21489	"710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 15:18
S13 2	835	S129 and (S130 or S131)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 15:18
S13 3	89002	(device or print\$4) near2 (manager or controller or server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 15:20
S13 4	373	S132 and S133	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 15:20

S13 5	348	S129 same S133	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 15:20
S13 6	62	(S130 or S131) and S135	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 15:21
S13 7	21489	"710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 08:27
S13 8	1631	718/100,107.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 08:28
S13 9	6266	358/1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 08:28
S14 0	8965	709/223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 08:28
S14 1	32172	(service or task or job) near5 manage\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 08:31
S14 2	53256	load near5 (balanc\$3 or distribut\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 08:30
S14 3	9564344	(time or speed or available or threshold)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 08:30
S14 4	75367	(service or task or job or device or print\$2) near5 manage\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 12:14
S14 5	4366	S142 and S143 and S144	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 08:34
S14 6	899	(S137 or S138 or S139 or S140) and S145	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 08:36

S14 7	467	S141 same S142	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 08:35
S14 8	184	S141 same S142 same S143	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 08:35
S14 9	60	(S137 or S138 or S139 or S140) and S148	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 08:38
S15 0	254	S142 same S143 same S144	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 08:38
S15 1	37469	S137 or S138 or S139 or S140	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 08:39
S15 2	82	S150 and S151	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 11:26
S15 3	1	"6373585".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 12:53
S15 4	1	"20030145128"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 12:53
S15 5	1631	718/100,107.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 14:28
S15 6	6266	358/1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 14:28
S15 7	21489	"710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 14:28
S15 8	53256	load near5 (balanc\$3 or distribut\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 14:29

S15 9	75367	(service or task or job or device or print\$2) near5 manage\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 14:32
S16 0	653139	(predetermined near2 time) or threshold	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 14:30
S16 1	90	(S155 or S156 or S157) and S158 and S159 and S160	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 14:33
S16 2	82	S161 and @ay <= "2002"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 14:31
S16 3	68782	(service or device or print\$2) near5 manage\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 14:32
S16 4	80	(S155 or S156 or S157) and S158 and S160 and S163	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 14:33
S16 5	66	S164 and @ay <= "2001"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 14:33
S16 6	73	S164 and @ay <= "2002"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 15:06
S16 7	16094	frequen\$4 with check\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 15:06
S16 8	6266	358/1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 15:06
S16 9	53256	load near5 (balanc\$3 or distribut\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 15:06
S17 0	16094	frequen\$4 with check\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 15:29

S17 1	6266	358/1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 15:28
S17 2	68782	(service or device or print\$2) near5 manage\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 15:28
S17 3	17	S170 and S171 and S172	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 15:28
S17 4	6306	frequen\$4 with check\$3 same (threshold or (predetermined nears time) )	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 15:30
S17 5	11	S171 and S172 and S174	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 15:30
S17 6	6266	358/1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/07 09:43
S17 7	21489	"710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/07 09:43
S17 8	68782	(service or device or print\$2) near5 manage\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/07 09:44
S17 9	53256	load near5 (balanc\$3 or distribut\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/07 09:44
S18 0	133654	(wait\$3 or total\$3) near2 time	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/07 09:49
S18 1	39	(S176 or S177) and S178 and S179 and S180	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/07 09:49
S18 2	8734	(wait\$3 or total\$3) near2 time same (service or print\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/07 09:50

S18 3	23	(S176 or S177) and S178 and S179 and S182	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/07 09:50
S18 4	23000	(wait\$3 or total\$3 or predetermin\$3) near2 time same (service or print\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/07 15:44
S18 5	27	(S176 or S177) and S178 and S179 and S184	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/07 09:50
S18 6	6266	358/1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/07 15:44
S18 8	208225	time with (service or print\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/07 15:44
S18 9	13871	determin\$3 with time with (service or print\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/07 15:45
S19 0	68782	(service or device or print\$2) near5 manage\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 14:30
S19 1	21489	"710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/07 15:45
S19 2	1631	718/100,107.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/07 15:45
S19 3	305	(S186 or S191 or S192) and S189 and S190	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/07 15:46
S19 4	55	(S186 or S191 or S192) and S189 same S190	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/07 15:46
S19 5	6270	358/1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 13:07

S19 6	21523	"710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 13:07
S19 7	1635	718/100,107.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 13:07
S19 8	68846	(service or device or print\$2) near5 manage\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 13:08
S19 9	147	(printer near2 (server or manager) ) and ( (database or table\$1) same (point\$3 or field\$1) same service\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 14:27
S20 0	16	(S195 or S196 or S197) and S199	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 13:10
S20 1	884	(printer near2 (server or manager) ) and ( (database or table\$1) same (point\$3 or field\$1 or select\$3 or identif\$4) with (service\$1 or print\$3) )	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 14:34
S20 2	6270	358/1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 14:28
S20 3	21523	"710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 14:28
S20 4	1635	718/100,107.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 14:29
S20 5	34750	"709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 14:29
S20 6	397	(S202 or S203 or S204 or S205) and S201	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 14:30
S20 7	68846	(service or device or print\$2) near5 manage\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 14:30



S208	255	S206 and S207	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 14:30
S209	23	(S202 and S203) and S201	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 14:31
S210	30959	( (database or table\$1) same (point\$3 or field\$1 or select\$3 or identif\$4) with (service\$1 or print\$3) )	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 14:37
S211	3458	( (database or table\$1) same (point\$3 or field\$1 or select\$3 or identif\$4) with (service\$1 or print\$3) same register\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 14:38
S212	240	( (database or table\$1) same (point\$3 or field\$1 or select\$3 or identif\$4) same next with (service\$1 or print\$3) same register\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 14:38
S213	20	(S202 or S203) and S212	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 14:38
S214	13879	determin\$3 with time with (service or print\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 15:07
S215	0	(determin\$3 with if with (time or available) ) and (service or print\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 15:07
S216	358294	(determin\$3 with (device\$1 or print\$3) if with (time or available) )	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 15:08
S217	26	(S202 or S203 or S205) and S212 and S216	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 15:08
S218	17	(printer near2 (server or manager) ) and (frequen\$4 with check\$3 same (device\$1 or printer\$1) same available)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 12:14
S219	70	(service or job or device or print\$2) near5 manage\$4 same (database or table) same (identitf\$5 or look\$3) same available	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 12:16

S22 0	36	(service or job or device or print\$2) near5 manage\$4 same (database or table) same (identitf\$5 or look\$3) same next same (available or service)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 12:16
S22 1	6270	358/1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 12:17
S22 2	21523	"710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 12:17
S22 3	1635	718/100,107.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 12:17
S22 4	0	S220 and (S221 or S222 or S223)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 12:17
S22 5	13	S219 and (S221 or S222 or S223)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 12:17
S22 6	85	((device or print\$2 or job) near5 manage\$4) same update\$3 same (table or database) same time same (service\$1 or print\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/10 11:02
S22 7	6286	358/1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/10 10:21
S22 8	21545	"710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/10 10:21
S22 9	16	S226 and (S227 or S228)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/10 11:44